

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	409	726/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:12
L2	0	I1 and (("wireless" adj gat\$3 adj "signal") with (("third" or "another" or "different") adj ("person" or "party" or "identity" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:15
L3	11	I1 and (gat\$3 with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:17
L4	0	I3 and ((communicat\$3 with (gat\$3 adj "signal")) with (((("predetermined" or "pre-determined") adj "time") or "time")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:16
L5	513	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:15
L6	0	I5 and (("wireless" adj gat\$3 adj "signal") with (("third" or "another" or "different") adj ("person" or "party" or "identity" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:17
L7	9	I5 and (gat\$3 with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:17
L8	0	I7 and ((communicat\$3 with (gat\$3 adj "signal")) with (((("predetermined" or "pre-determined") adj "time") or "time")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:17
L9	801	380/270	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:17
L10	0	I9 and (("wireless" adj gat\$3 adj "signal") with (("third" or "another" or "different") adj ("person" or "party" or "identity" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19

EAST Search History

L11	13	l9 and (gat\$3 with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19
L12	0	l11 and ((communicat\$3 with (gat\$3 adj "signal")) with (((("predetermined" or "pre-determined") adj "time") or "time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19
L13	2008	382/115	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19
L14	0	l13 and (("wireless" adj gat\$3 adj "signal") with (("third" or "another" or "different") adj ("person" or "party" or "identity" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19
L15	52	l13 and (gat\$3 with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19
L16	0	l15 and ((communicat\$3 with (gat\$3 adj "signal")) with (((("predetermined" or "pre-determined") adj "time") or "time"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/08/30 09:19


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((gated signal<in>metadata) <and> (users<in>metadata))<and> (time<..."

Your search matched 2 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [print](#) [bookmark](#)

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 [Search](#)
☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. A PC-based pulse-width modulator for static converters
 Vincenti, D.; Ziogas, P.D.; Patel, R.V.;
Industrial Electronics, IEEE Transactions on
 Volume 37, Issue 1, Feb. 1990 Page(s):57 - 69
 Digital Object Identifier 10.1109/41.45844
[AbstractPlus](#) | Full Text: [PDF](#)(812 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ 2. An on-line PC-based converter PWM modulator
 Vincenti, D.; Ziogas, P.D.; Patel, R.V.;
Industry Applications Society Annual Meeting, 1988., Conference Record of the 1988 IEEE
 2-7 Oct. 1988 Page(s):895 - 902 vol.1
 Digital Object Identifier 10.1109/IAS.1988.25166
[AbstractPlus](#) | Full Text: [PDF](#)(524 KB) [IEEE CNF](#)
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

 powered by

[Yahoo!](#) [My Yahoo!](#) [Mail](#) [Welcome, Guest](#) [\[Sign In\]](#)[Search Home](#) [Help](#)[Web](#) [Images](#) [Video](#) [Audio](#) [Directory](#) [Local](#) [News](#) [Shopping](#) [More »](#)**YAHOO!** SEARCH

wireless gated signal with third users and time

Search

[Answers](#) [My Web](#) [Search Services](#) | [Advanced Search](#) [Preferences](#)**Search Results**1 - 10 of about 4,360 for wireless gated signal with third users and time - 0.23 sec. ([About this page](#))

1. **Wireless Week big_talk_autorefresh**
... today. The **third** are carriers that have announced trials and test deployments. ... supporting thousands of **users**, could be be up to \$100,000, decling over **time**. ...
www.wirelessweek.com/index.asp?layout=big_talk_autorefresh&talkid=375 - [More from this site](#) - [Save](#)
2. **Wireless is... (December, 2004 Volume 2 Issue 1)**
... in residential **gated** communities, country clubs and universities, among others. ... Given the **signal**-attenuating elements resident with a laptop and the need to ...
www.wirelessis.com/Archive/eNews_12-04.htm - 47k - [Cached](#) - [More from this site](#) - [Save](#)
3. **Bluetooth Test Equipment**
... average, peak-to-average ratio and **time-gated** measurements by using the E9320 ... or wideband **wireless** LAN design, or **signal** monitoring applications such ...
thewirelessdirectory.com/.../Bluetooth-Test-Equipment.htm - 110k - [Cached](#) - [More from this site](#) - [Save](#)
4. **Tektronix: Products > Communications Signal Analyzer - CSA8000B: Introduction**
... **Gated** triggering, a feature that allows the exclusion of selected **time** periods ... adds a **third** dimension, sample density, to your **signal** acquisitions and ...
www.tek.com/site/ps/0,,85-13499-INTRO_EN,00.html - 36k - [Cached](#) - [More from this site](#) - [Save](#)
5. **Moving back to California and want to know whats the best all around carrier there?**
... **Wireless Carrier Users** Forums Cingular **Wireless Users** Verizon **Wireless Users** ... still have dropped calls from **time** to **time**, he gets MUCH better reception ...
forums.wirelessadvisor.com/.../4278-moving-back-california-want.html - 161k - [Cached](#) - [More from this site](#) - [Save](#)
6. **Werbach Open Spectrum Paper**
... 4) The future of **wireless** lies in **third**-generation (3G) systems ... **users** buy laptops and consumer electronics hardware with high-speed **wireless** ...
werbach.com/docs/new_wireless_paradigm.htm - 112k - [Cached](#) - [More from this site](#) - [Save](#)
7. **Time Division Multiplexing - Multiple Access Protocol for Indoor Wireless Multi (PDF)**
... and other services to mobile **users**. The **wireless** ... protocol based on DCA with **time** slot re- assignment and a fully **gated** limited polling MAC ...
www.hpl.hp.com/techreports/97/HPL-97-41.pdf - 152k - [View as html](#) - [More](#)

[from this site](#) - [Save](#)

8. [CIRCUITS AND ALGORITHMS FOR WIRELESS COMMUNICATIONS \(PDF\)](#)
... suppress the **third and fifth** harmonics of the IF, with ... ubiquitous connections between **users and service** ... with the achievable IRR being limited by ...
www.ucop.edu/research/micro/00_01/00_066.pdf - 84k - [View as html](#) - [More from this site](#) - [Save](#)
9. [SICTA: A 0.693 Contention Tree Algorithm Using Successive Interference Cancellation \(PDF\)](#)
... ($k = 1$) to **users**. It is clearly unnecessary for A and B to transmit in the **third** ... SICTA all with **gated** access, and FCFS. Table I summarizes ...
www.ece.umn.edu/users/yyu/Papers/sicta_info.pdf - 204k - [View as html](#) - [More from this site](#) - [Save](#)
10. [rural communications through **wireless** ip technology](#)
... purpose begins to be to have a **users** computer link with the PSTN and initiate ... it's a very clear **signal** then they're getting into the **wireless** game. ...
wireless.oldcolo.com/biology/progress2000/cookjul.txt - 226k - [Cached](#) - [More from this site](#) - [Save](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)Another great way to search. [Try Yahoo! Answers](#)Copyright © 2006 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#)

Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In]

[Search Home](#) [Help](#)

YAHOO! SEARCH

[Web](#) [Images](#) [Video](#) [Audio](#) [Directory](#) [Local](#) [News](#) [Shopping](#) [More »](#)

wireless gated signal

[Search](#)

[Answers](#) [My Web](#) [Search Services](#) | [Advanced Search](#) [Preferences](#)

Search Results

1 - 10 of about 66,600 for wireless gated signal - 0.16 sec. ([About this page](#))

SPONSOR RESULTS

- **Wireless Signal**
www.ebay.com Visit eBay for a wide selection of networking products.
- **Wireless Signal at Shopping.com**
www.shopping.com Find, compare and buy **Wireless Signal** and other Computers and Software products.

SPONSOR RESULTS

Line Signal - Compare Prices at NexTag
Cheap Prices on a Huge Selection of Products at NexTag. Read Reviews.
www.nextag.com

[See your message here...](#)

1. **Wireless Gated EMG Project Update**
5/3/2002 ... SWITCHING. **SIGNAL** #1. X. If **Signal** #1 (SG1) is present, the processor measures the time between pulses (X) **SIGNALS** ...
bme.jhu.edu/courses/580.111/team04_sp02/.../slide0023.htm - 31k - [Cached](#) - [More from this site](#) - [Save](#)
2. **and system for providing wireless communication compatible with 10BASE-T**
system (900) for providing **wireless** communication compatible with 10BASE-T ... a pair of summers (358) to the **gated signal** (350) in the pulse combiner (316) to ...
www.freepatentsonline.com/5636213.html - 46k - [Cached](#) - [More from this site](#) - [Save](#)
3. **Using Signal Processing to Analyze Wireless Data Traffic (PDF)**
... **gated** traffic to hide individual flows, false traffic can be gen ... Using **Signal** Processing to Analyze **Wireless** Data Traffic. Craig Partridge, David Cousins, ...
www.ir.bbn.com/~krash/unpubs/TM1321.pdf - 636k - [View as html](#) - [More from this site](#) - [Save](#)
4. **Wireless Net DesignLine | Standard CMOS Ultrawideband Single-Chip Solutions**
... Developing RF or mixed-**signal** integrated circuits entirely in CMOS makes it ... noise amplifier, which in turn is **gated** by the capabilities of the process ...
www.wirelessnetdesignline.com/howto/53200236 - 45k - [Cached](#) - [More from this site](#) - [Save](#)
5. **Synetcom Industrial Wireless**
Radios with Industrial I/O ... Features include receive **signal** strength measurement, **gated** sensor power supply. ... using Synetcom's **wireless** spread spectrum ...
www.wirelessio.net/index.htm - 9k - [Cached](#) - [More from this site](#) - [Save](#)
6. **Test Equipment**
... **Signal/Spectrum** Analyzers Telecom Analyzers/Test Video **Wireless** Communications ... **SPECTRUM ANALYSIS**; **ADVANCED**, **OPTIMIZED TIME-GATED SPECTRUM ANALYSIS**. ...
conres.com/cgi-bin/...&Product=**Signal/Spectrum**+Analyzers - 87k - [Cached](#) - [More from this site](#) - [Save](#)

7. [Wireless Week Big Talk Autorefresh](#)
... week. Keep in mind that this format is somewhat **gated** by how fast I can type. ... The technology uses spreading codes to spread the **signal** across a 5MHz channel. ...
www.wirelessweek.com/index.asp?layout=big_talk_autorefresh&talkid=375 - [More from this site](#) - [Save](#)
8. [Using Signal Processing to Analyze Wireless Data Traffic \(PDF\)](#)
... Using **Signal Processing** to Analyze **Wireless Data Traffic**. Craig Partridge, David Cousins, Alden W. ... **gated data tra**c. Second, we can determine how data is ...
www.ir.bbn.com/~krash/pubs/partridge_wise02.pdf - 646k - [View as html](#) - [More from this site](#) - [Save](#)
9. [Agilent \(PDF\)](#)
... to the Agilent 89600 Series vector **signal** analyzers and their **wireless**. networking measurement software. ... The **gated** spectrum measurement in Figure 3 ...
cp.literature.agilent.com/litweb/pdf/5988-9440EN.pdf - 552k - [View as html](#) - [More from this site](#) - [Save](#)
10. [Wireless Design & Development](#)
... such as biometric instruments, 128 kB for **wireless** radio and GPS and 256 kB for ... Separate clock domains may be selectively **gated** ON/OFF as needed for the core, ...
wirelessdesignmag.com/ShowPR.aspx?PUBCODE=055&ACCT=0028244&... - 26k - [Cached](#) - [More from this site](#) - [Save](#)

SPONSOR RESULTS

- [Line Signal - Compare Prices at NexTag](#)
www.nextag.com Cheap Prices on a Huge Selection of Products at NexTag. Read Reviews.

1 2 3 4 5 6 7 8 9 10 [Next](#)



Another great way to search. [Try Yahoo! Answers](#)

Copyright © 2006 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#)